

राजकीय प्रयोगार्थ
(न्यायालय/वैधानिक
प्रयोगार्थ मान्य नहीं)

UTTAR PRADESH



LOK NIRMAN VIBHAG

SCHEDULE OF RATES

FOR

BULANDSHAHR, GAUTAM BUDH NAGAR,
GHAZIABAD & HAPUR DISTRICTS

REVISED IN 2016

(ENFORCED FROM 01 JULY - 2016)

SUPERINTENDING ENGINEER
BULANDSHAHR CIRCLE
LOK NIRMAN VIBHAG
BULANDSHAHR.

कार्यालय अधीक्षण अभियन्ता,

बुलन्दशहर वृत, लो०नि०वि०, बुलन्दशहर

पत्रांक :— 4185 / 48 एम— बु०वृत / 2016

दिनांक:— 02-07-2016

कार्यालय—ज्ञाप

इस वृत के कार्यालय ज्ञाप सं— 6966 / 48एम०—बु०वृत / 14, दि० 03.11.2015 एवं 89 / 48एम०—बु०वृत / 16, दिनांक 04.01.2016 द्वारा शिड्यूल ऑफ रेट्स पुनरीक्षण किया गया था। प्रमुख अभियन्ता, (विभागाध्यक्ष) लो०नि०वि० लखनऊ के पत्रांक 672 / पी०जे०-११ / १५पी०जे०(१) / १२, दि० ०२.०१.१३ द्वारा वर्ष में दो बार दर सूची पुनरीक्षित किये जाने के निर्देशों के अनुपालन में इस वृत के अधीन अधिशासी अभियन्ताओं/अन्य विभाग के अभियन्ताओं द्वारा वर्तमान प्रचलित शिड्यूल ऑफ रेट के पुनरीक्षण हेतु किये जा रहे अनुरोध के परिपेक्ष में दिनांक 11.05.2016 को अधोहस्ताक्षरकर्ता की अध्यक्षता में शिड्यूल ऑफ रेट के पुनरीक्षण हेतु आवश्यक बैठक हुई जिसमें निम्न अधिकारियों/ कर्मचारियों ने भाग लिया :—

- 1— श्री हरस्वरूप सिंह, अधिशासी अभियन्ता (स्टॉफ ऑफिसर), बु०शहर वृत, लो०नि०वि०, बुलन्दशहर।
- 2— श्री अनिल कुमार, अधिशासी अभियन्ता, प्रा०ख०, लो०नि०वि०, बुलन्दशहर।
- 3— श्री गगन, अधिशासी अभियन्ता, नि०ख०-२, लो०नि०वि०, बुलन्दशहर।
- 4— श्री रवेन्द्रपाल सिंह तोमर, अधिशासी अभियन्ता, नि०ख०, लो०नि०वि०, खुर्जा।
- 5— श्री सदनलाल गुप्ता, अधिशासी अभियन्ता, प्रा०ख०, लो०नि०वि०, हापुड़।
- 6— श्री ज्ञान गुप्ता, अधिशासी अभियन्ता, नि०ख०-२, लो०नि०वि०, गाजियाबाद।
- 7— श्री आर०एन०दास, अधिशासी अभियन्ता, प्रा०ख०, लो०नि०वि०, गौतमबुद्धनगर।
- 8— श्री हंबीरुर्हमान, अवर अभियन्ता(प्रा०), बु०शहर वृत, लो०नि०वि०, बुलन्दशहर।

बैठक में बु०शहर वृत, लो०नि०वि० के अधीन जनपदों में प्रचलित सामग्री, श्रीमिकों की दरों पर विस्तृत रूप से विचार विमर्श उपरान्त शिड्यूल ऑफ रेट्स में संशोधन किया गया तथा निश्चय किया गया कि नई दरें दिनांक 01.07.2016 से प्रभावी होंगी। शिड्यूल ऑफ रेट्स के सम्बन्ध में इससे पूर्व में जारी सभी कार्यालय ज्ञापों को निरस्त समझा जाये।

ह०—

(सुधांशु कुमार)

अधीक्षण अभियन्ता

बुलन्दशहर वृत, लो०नि०वि०

बुलन्दशहर

प्रतिलिपि निम्नलिखित को पुनरीक्षित शिड्यूल ऑफ रेट की प्रति सहित सूचनार्थ प्रेषित :—

1. विशेष सचिव, लोक निर्माण विभाग उ० प्र० शासन लखनऊ।
2. प्रमुख अभियन्ता (विकास एवं विभागाध्यक्ष), लोक निर्माण विभाग, लखनऊ।
3. महालेखाकार, उ०प्र०, इलाहाबाद।
4. मुख्य अभियन्ता, (भवन विंग) लोक निर्माण विभाग, उ० प्र०, लखनऊ।
5. मुख्य प्राविधिक परीक्षक, लोक निर्माण विभाग, उ० प्र०, लखनऊ।
6. मुख्य अभियन्ता, पश्चिमी क्षेत्र, लोक निर्माण विभाग मेरठ।
7. अधीक्षण अभियन्ता, मेरठ वृत, लोक निर्माण विभाग, मेरठ।
8. अधीक्षण अभियन्ता, सहारनपुर वृत, लोक निर्माण विभाग, सहारनपुर।
9. अधीक्षण अभियन्ता, अलीगढ़ / मथुरा वृत, लोक निर्माण विभाग, अलीगढ़।
10. मुख्य विकास अधिकारी, बुलन्दशहर / गौतमबुद्धनगर / गाजियाबाद / हापुड़।
11. समस्त अधिशासी अभियन्ता, लोक निर्माण विभाग, बुलन्दशहर / खुर्जा / गौतमबुद्धनगर / गाजियाबाद / हापुड़।
12. अधिशासी अभियन्ता, ग्रामीण अभियन्त्रण विभाग / (पी०एम०जी०एस०वाई) बुलन्दशहर / गौतमबुद्धनगर / गाजियाबाद।
13. अवर अभियन्ता (प्रा०), बुलन्दशहर वृत, लोक निर्माण विभाग बुलन्दशहर।

अधीक्षण अभियन्ता

बुलन्दशहर वृत, लो०नि०वि०

बुलन्दशहर

LOK NIRMAN VIBHAG

UTTAR PRADESH

शिड्यूल ऑफ रेट्स
01.07.2016 से प्रभावी

जनपद— बुलन्दशहर, हापुड़, गौतमबुद्धनगर,
गाजियाबाद।

INDEX

SL. NO.	CHAPTER	DESCRIPTION	PAGE NO.
1	--	Index	I
2	--	Important Instructions	II - V
3	--	Extra condition for work on labour rate and ENC Letter No. 05/BDD-1(NH)/40	VI - VIII
4	1	Materials	1-8
5	2	Labour	9 - 10
6	3	Cartage	11 - 14
7	4	Earth Work	15 - 17
8	5	Concrete	18 - 19
9	6	Brick Work	20
10	7	Damp Proof Course	21
11	9	Wood Work	22 - 27
12	10	Mild Steel & Iron Work	28- 31
13	11	Roof Work	32- 34
14	13	Plaster & Pointing	35 - 36
15	14	Flooring	37 - 40
16	15	Painting & Distempering	41 - 43
17	16	White Washing & Colour Washing	44
18	17	Demolition And Dismantling	45 - 46
19	19	Miscellaneous	47 - 48
20	20	Road Work	49 - 55
21	21(A)	Annual Repair	56 - 58
	21(B)	Water Supply & Sanitary Works	59 - 62
22	22	Trafic Sign	63 - 67
23	23	Usage Rates of Plant & Machinery	68 - 69
24	--	Consumption of Building Material	70 - 71

[1] Important Instructions

1. **Carriage and taxes :** The rates are inclusive of carriage of 8 kilometers from the place of issue or the nearest place of availability. Local taxes are also included in the rates of materials, taken into account in working out the rates of the items. If extra cartage is required, it should be paid at the rates specified for carriage beyond 8 kilometers (5 miles). The rates are however, not inclusive of toll paid on bridges. If any such toll charges have to be paid, the same may be paid extra to contractor after due verification.
2. **Specification:** The items entered in this schedule are to be executed according to the Public Works Department C.P.W.D/NBO/IRC Detailed specifications.
3. **Interpretation of Schedule of Rates :** Shall be as W.R.F. G.P.W. form-9 for other contract documents as per Communication vide Chief Engineer's circular No. 19-PW/45M-58, dated April 20, 1964, conditions of contract.
4. [a] The Executive Engineers are requested to mention the names of the approved quarries in the special conditions for the approved stone and approved coarse sand to avoid any ambiguity at later stages during execution.
[b] **Ribbed Tor Steel :** Ribbed-tor-steel should conform to IS-1786-1979 or its latest edition.
5. **Chapter IV : Earth work and excavation :**
[a] Lead is measured from the centre of the area of excavation to the centre of the bank of spoil heap. Earthwork in excavation of foundation is calculated by taking the dimensions of each trench. Filling in trenches after the construction of foundation is inclusive in the rate. Earth filling in plinth is calculated by taking the internal dimension in between plinth wall, and height is taken after deducting the thickness of floor.
[b] Rate as per schedule items 252 in chapter IV (Earthwork) is to be followed only with the written approval of the Executive Engineer and after his inspection of site.
6. **Chapter VI : Brick work :** Rates including cutting of bricks as necessary for proper bond and for forming all splay angles etc and also for rounding all exterior and interior angles if so required. The brickwork is to be measured in thickness as mentioned in the terms and conditions of the agreement and in its specifications.

7. Chapter IX: Wood work:

- [a] **Chaukhat**: Extreme measurement for all scantlings will be made. For example, a chaukhat of section 10cm x 12.5 cm and for 1.2m x 2.1m opening will be measured as 5.40m x 10cm x 12.5cm.
- [b] **Leaves**: will be measured closed inside the chaukhat, no allowance being made for over lap. The following tolerance in woodwork shall be allowed as communicated by Chief Engineer's circular No. 7 P.W., dated Lucknow February 24, 1960, as amended vide 36 PW/R-N 10-665-M, dated October 22, 1962.
- [i] Tolerance up to 2mm may be allowed in any or all dimensions of the finished wood work without any deduction in measurement of the size specified, unless net measurement are specifically prescribed in any special work requiring exact sizes without any tolerance. No tolerance shall be permissible in the case of thickness of ply.
 - [ii] Variations exceeding 2mm and up to 8mm. In and or all cross sectional dimensions in the case of wood-work wrought, framed and fixed and upto 4 mm. in the case of thickness of door and window shutters may be permitted but the measurement should then be recorded for the actual sizes, not exceeding the sizes specified, unless exact net sizes are specifically prescribed in any special work.
 - [iii] Woodwork having variation of more than 8 mm. in cross-sectional dimensions in case of wrought wood-work, and more than 4mm. in case of thickness of door and window shutter be rejected unless allowed by the written orders of the Executive Engineer who will record the reasons for the same under intimation to the Superintending Engineer concerned.
 - [iv] The tolerances and restrictions specified above shall not be applicable to the length of scantlings or to the breadth and height. In case of door and window leaves, they will be same as actual.
- [c] **Fitting**: As communicated in Chief Engineer's letter No. 6639 CBRG/72 CW/56, dated December 20, 1963 and 3093/72 PW/56, dated June 4, 1964, the following shall be kept in view for payment of fittings as per S.I.Nos.
- (i) The rates provided in these items are for estimating purposes. Fitting with screws should be supplied departmentally, the fixing and adjustment charges are already included in various shutter items.
 - (ii) The measurement of fixed portion such as fanlights which do not require any fitting are not done for the purpose of payments under fittings.
 - (iii) Almirah shutters are measured separately and rates worked out by analysis as per actual fitting.

[III]

- (iv) The measurement for fitting in clerestory window shall be done separately and rate worked out on the basis of analysis based on actual cost of fitting.
8. **Chapter X: Mild steel and Iron work :** Bar reinforcement shall be measured in terms of IS-1200 - (Part VIII) - 1967 which read as follows "Bar reinforcement shall be measured by weight in kilograms and shall include cutting to lengths, hooked ends, cranking or bending (Straight or spiral); no allowance shall be made in the weight for rolling margin authorised overlaps shall be measured. Cost of binding wire is included in this item."
9. **Chapter XI : Roof work :**
- [a] Rates provided in the items of R.C.C. and R.B. works are exclusive of the cost of steel to be used and its bending.
 - [b] As per Chief Engineer's circular No. 4 P.W. dated April 25, 1967, the R.C.C. items in chajjas and sunshades etc. include construction of drip courses and no extra payment of the same is to be allowed. The Executive Engineers should provide items in bill of quantities accordingly.
10. **Chapter XII : [Plaster and pointing] :** Plaster shall be measured on length and breadth or height of the wall or surface.

No deduction from area of plaster shall be made for small size openings up to an area of 3.0 Sq. meter such as doors, windows and ventilators, etc. on one face of the wall when both faces are plastered. No extra rate is to be allowed for rounding of corners external and internal junction of roofs and ceilings with walls. In case of plaster on inside and pointing on the outside, no deduction will be made in plaster work, while the entire area of opening will be deducted from pointing work. In case of large size openings the area of the opening will be deducted on both sides, and the actual plaster or pointing done on the pillars, soffits, and jambs shall be measured.

11. **Chapter XV : Painting and Distempering** shall be measured as follows:
- (i) Moulded work of all kinds such as cornices, etc. and doors and windows shall be measured flat.
 - (ii) Both sides area of glazed (Ventilators) painted, shall be measured as $1\frac{1}{2}$ time of the single flat area. Expanded metal, iron gates similar work will be measured as $\frac{1}{2}$ of the single area measured flat for area of painting on both sides.
 - (iii) Fully glazed shutters (both sides) shall be measured as $1\frac{1}{2}$ times of the area of the opening, while that of wire gauge doors may be one time only.

- (iv) part panelled and glazed shutters (both sides) shall be measured as $1\frac{3}{4}$ times of the area of the opening.
 - (v) Braced and battended shutters (both sides) shall be measured as $2\frac{1}{2}$ times of the area of opening.
 - (vi) Full panelled shutters both sides may be measured as 2 times of the area of the opening.
 - (vii) Iron grating provided in the window may be measured as $\frac{1}{2}$ time of the area of the opening.
 - (viii) "Z" Section windows may be measured as $\frac{1}{2}$ the area of the opening.
12. **Chapter XVI - White and colour washing :** This shall be measured on length and breadth or height of wall or surface, no deduction being made for small size opening up to an area of 3 Sq. meter such as doors and windows and ventilators etc. On face of the wall when both faces are white or colour washed. In case of washing on one face only, half the area of the opening will be deducted in case of large size opening area above 3 Sq. meter such as Verandah, opening will be deducted on both sides and the actual washing done on the pillars, soffits and jambs shall be measured.
13. Contractor's profit has been allowed in all items. If the work is executed departmentally on muster rolls, no deduction for contractor's profit shall be made in the items of labour rates for assessment of output of labour achieved.
14. All items shall be measured as per IS-1200-1964 method of measurement of building works unless otherwise specifically provided in the bond or in above paragraphs.

[II] Extra Conditions for work on Labour rates only

Condition No. 1

It will be necessary for the contractor to make use of the machine i.e. C.C. mixer, lime pan mixer, 10% deduction in rates will be made in case the work is done without use of mixing machines.

Condition No. 2

It will be the responsibility of the contractor for carriage of water upto the site of the work.

Condition No. 3

Wherever the word, fine sand occurs in this schedule of rates, it will mean the sand of fineness modulus 1.25. Sand, which has lower fineness modulus will be blended with coarse sand in suitable proportions to achieve this fineness modulus.

Condition No. 4

For all works executed above G.F. Labour rate will be increased by 5.0% per floor on labour rate component only or 1.0% per floor for over all.

Extra Condition No.

- (i) नोट :- भवन कार्य हेतु जिन मदों की दरें इस शैड्यूल ऑफ रेट्स में उपलब्ध नहीं है, उन मदों हेतु उच्च-स्तरीय तकनीकी समिति की बैठक में लिये गये निर्णय पत्रांक 5 / बी0डी0डी0-1(एनएच) / 40एम0टी0 / 14, दिनांक 08.02.2014 के अनुसार सी0पी0डब्लू0डी0 के स्केल्टन पर विश्लेषित दरों/दिल्ली शैड्यूल ऑफ रेट्स की दरों को नियमानुसार **Indexed** कर अपनाया जा सकता है।

दिनांक 05.02.2014 को प्रमुख अभियन्ता (विकास) एवं विभागाध्यक्ष महोदया, लोक निर्माण विभाग की अध्यक्षता में सम्पन्न उच्च स्तरीय तकनीकी समेति की बैठक की कार्यवाही का विवरण :-

प्रमुख अभियन्ता (विकास) एवं विभागाध्यक्ष, महोदया एवं अध्यक्ष, उच्च स्तरीय तकनीकी समिति लो००५००५० वी अनुमति से बैठक की कार्यवाही प्रारम्भ की गयी। बैठक में निम्नलिखित अधिकारियों ने भाग लिया:-

1. श्रीमती चित्रा स्वरूप	प्रमुख अभियन्ता(विकास) एवं विभागाध्यक्ष	557/2
2. श्री ए०क० युप्ता	प्रमुख अभियन्ता(ग्रामीण सङ्क)	25/८/१
3. श्री हरेन्द्र नाथ पाण्डेय	मुख्य अधिकारी (मु-२)	
4. श्री आर०री० घरनवाल	मुख्य अभियन्ता(राज०मा०)	
5. श्री वाई०क०युप्ता	मुख्य अधिकारी (मु-१)	
6. श्री ज०पी०जैन	मुख्य अभियन्ता(विश्व बैंक)	
7. श्री आ०र०ए०न०याद्य	प्रबन्ध निदेशक उ०प्र० राजकीय निर्माण निगम लि०	
8. श्री वी०क०सिंह	मुख्य अभियन्ता(ग्रामीण)	
9. श्री संजय	मुख्य अधिकारी (भवन)	
10. श्री ए०पी० संयोग	अधीक्षण अभियन्ता गवन यूत्स	
11. श्री आ०र०आ०र० रिंग	अधीक्षण अभियन्ता लखनऊ वृत्ता	
12. श्री आ०र०क० गोयल	महाप्रबन्धक उ०प्र० राज०निं०निं०लि०	
13. श्री अवनी कुमार	महाप्रबन्धक (तक०) उ०प्र० राज०निं०निं०लि०	
14. श्री ए०क० शुभला	प्रबन्धक (ई०)उ०प्र० राज०निं०निं०लि०	

एजेण्डा बिन्दु-१

केन्द्रीय लोक निर्माण विभाग के प्रबलित स्केल्टन को अपनाये जाने के संबंध में।

एजेण्डा बिन्दु-२

केन्द्रीय लोक निर्माण विभाग के भवन कार्य के दर विश्लेषण की भाँति उ०प्र० लोक निर्माण विभाग द्वारा भवन कार्य की मदों में 10 प्रतिशत ठेकेदार लाभांश एवं 5 प्रतिशत ओवर हेड अर्थात् कुल १५ प्रतिशत की धनराशि अनुमत्य किये जाने के संबंध में।

एजेण्डा बिन्दु-३

केन्द्रीय लोक निर्माण विभाग में प्रबलित दिल्ली शैड्यूल आफ रेट्स को अपनायें जाने के संबंध में।

उपरोक्त समस्त बिन्दुओं के सम्बन्ध में सर्व सम्मति से समिति द्वारा यह निर्णय लिया गया कि यर्तमान में निर्माण पद्धतियों में आमूल धूल परिवर्तन हो जाने के कारण लोक निर्माण विभाग का स्केल्टन व्यवहारिक नहीं रह गया है। अतः मार्गिष्य में भवन निर्माण कार्यों हेतु केन्द्रीय लोक निर्माण विभाग के प्रबलित स्केल्टन को अपनाया जाना उचित होगा। CPWD के स्केल्टन में ठेकेदार का लाभांश तथा ओवर हेड समाहित है।

समिति द्वारा सर्व सम्मति से यह भी निर्णय लिया गया कि दिल्ली शैड्यूल आफ रेट्स केवल उन्हीं मदों हेतु अपनाया जा सकता है, जिन मदों के लिए उ०प्र० लोक निर्माण विभाग के अधीक्षण अभियन्ताओं द्वारा निर्गत शैड्यूल आफ रेट्स में दर्दे उपलब्ध न हो।

पुराणा विन्द-४

हठाया मैनपुरी कुरांवली थार सेन भाग का थीड़ीकरण हेतु पूर्व में उच्च स्तरीय तकनीकी समिति बैठक दिनांक-11.06.13 में विशिष्टियों में परिवर्तन हेतु अनुमोदन हुआ था, जो अधिकारी अभियन्ता बी0डी0डी0-1(एन0एच0) के पत्रांक 862/बी0डी0डी0-1(एन0एच0)/40एम0टी0-11/05 दिनांक-14.06.13 द्वारा जारी किया गया था। मुख्य अभियन्ता (मु0-1) ने अपने पत्रांक-57 कैम्प/गु0अगी0(मु-1)/2012 (उस्तर0वै0) दिनांक-28.01.14 द्वारा यह अवगत कराया है कि मुख्य अभियन्ता कानपुर द्वारा उच्चस्तरीय तकनीकी समिति के समक्ष प्रस्तुत अपिलेख में कुछ तुष्टियाँ थीं यथा बी0डी0एफ0 की गणना, एन0एस0ए0 की गणना इत्यादि। मुख्य अभियन्ता (मु-1) द्वारा पूर्व में दिये-गये अनुमोदन को निरस्त करने की सन्तुष्टि की गयी है।

अतः समिति द्वारा /यह निर्णय किया गया है कि पूर्व में उच्च राजीव लक्ष्मीनारायण समिति द्वारा अनुमोदित प्रस्ताव दिनांक-11.06.13, जो अधिकारी अभियन्ता, बी0डी0डी0-1(एन0एच0) लखनऊ के पत्रांक 862 / बी0डी0डी0-1(एन0एच0) / 40 एम0टी0-11/05 दिनांक 14.06.13 द्वारा जारी किया गया था, उसे निरस्त किया जाता है।


 (आरप्रसादबर्मनाल)
 नुस्खा अभियन्ता (पृ-2)
 एवं सदाचार संशोडक उच्च सत्रीय
 तकनीकी समिति
 लोगिनियोगी लखनऊ

ख्य अ/सिवायनीयता (विषय देक)
प्रमुख अभियन्ता (ग्रामीण सडक)
एवं गढ़वल उच्च स्तरीय
तकनीकी समिति
लोधियो लखनऊ

(विजयवर्षगुप्ता)
मुद्रा अशोकनामा(मु-1)
एवं सदस्य उच्च रत्नरीय
तत्कालीनी सम्पत्ति
लोपनिधिः प्रति लखण्ड

००१६।
(विज्ञा रससंग)
प्रमुख अभियंता (पिकास)
दृष्टि विभागाच्छाल
तथा अध्ययन उच्च स्तरीय
तकनीकी समिति
लोधिगढ़ी लखनऊ

प्रिया निं पत्रकालीन-१ (६८८५) / ४०५३८७०-११/१५ दिनांक- ६/२/१५

- मन्मालाप नमनत्वात् तत् का सूनाय एव आवश्यक कार्यदाही हेतु प्रेषित-**

 १. दैयिक्तक सहायक, प्रमुख अभियन्ता, (विकास) एवं विभागाध्यक्ष, लो०निः०वि०, लखनऊ।
 २. दैयिक्तक सहायक, प्रमुख अभियन्ता, (आपीय सङ्क), लो०निः०वि०, लखनऊ।
 ३. दैयिक्तक सहायक, प्रमुख अभियन्ता, (परिश / नियोज), लो०निः०वि०, लखनऊ।
 ४. प्रबन्ध निदेशक, उ०प्र० राजकीय निर्माण विभाग, लि०।
 ५. मुख्य अभियन्ता, (रा०मा०), लो०निः०वि०, लखनऊ।
 ६. मुख्य अभियन्ता, (मु०-१), लो०निः०वि०, लखनऊ।
 ७. मुख्य अभियन्ता, (मु०-२), लो०निः०वि०, लखनऊ।

७. मुख्य अभियन्ता (पुस्तक-२), लालानानीयो, लखनऊ।
 ८. सर्वसत्त्व क्षेत्रीय मुख्य अभियन्ता ऐरेटर द्वीप लोननिपदि० ऐरेटर

मा०..... दिनांक.....

(१) प्राणोपि समाप्त अभियन्ता
 (२) वृत्त / खण्ड लोऽपि मिद्या एव निर्मातुं तदेव द्वयं श्री हेतु।

(हरेन्द्र नाथ पाण्डेय)
मुख्य अभियन्ता (मु-2)
लोपनिधिवि०, लखनऊ।

General-letter-^④ अप्पा का सभी विषयों पर लिखें।

प्राची — दौः विः विः प्रेष्ट

१५८७ नम्बर ४०. लैप्प नं० ३०.
ग्राही विजयन.

⑥ श्री देव नारायण प्रसाद
८ चंद्रप्रसाद

⑧ ~~MS. A. 1. 1. fol. 100v~~

— 8 —

[VIII]

CHAPTER - 1

MATERIALS

- नोट :-**
- 1- आईटम नं० 1 व 2 की दरें भट्टे पर निर्धारित की गई हैं। सीधे भट्टे से ईंटें न लेने पर ठेकेदार को 5 प्रतिशत ठेकेदारी लाभांश एवं कार्य स्थल से 8 किमी० से अधिक की दूरी का भाड़ा (काट्रेज) अलग से देय होगा।
 - 2- आईटम नं० 38 व 39 की दरें पूरे जिले के लिए निर्धारित की गई हैं जिसमें सभी टैक्स, रॉयल्टी, भाड़ा, ठेकेदार का लाभांश आदि सम्मिलित हैं।
 - 3- आईटम नं० 3 में दरों में रॉयल्टी तथा क्वैरी पर दिये जाने वाले सभी टैक्स, वेट तथा लोडिंग व अनलोडिंग भी सम्मिलित हैं।
 - 4- आईटम नं० 3 में दरों में रॉयल्टी व पत्थर एकत्रित करना व तोड़ना आदि सम्मिलित है। ठेकेदार का 5 प्रतिशत लाभांश, उत्तरांचल से उत्तर प्रदेश में प्रवेश करने पर कोई टैक्स, व्यापार कर, वन विभाग का ट्रॉन्जिट टैक्स आदि यदि लगता है तो अलग से देय होगा।
 - 5- आईटम नं० 20 में स्टील का प्रयोग कम्पलीट आईटम बनाने में होता है तो 10 प्रतिशत ठेकेदारी लाभांश अलग से देय होगा।
 - 6- सभी सामग्री आई० एस० कोड/लो०नि०वि० की विशिष्टियों के अनुरूप होगी।
 - 7- मुख्य अभियन्ता, प०क्षो०, लो०नि०वि०, मेरठ के पत्रांक 1832 नि०/१६एम—प०क्षो०/०८ दिनांक 05.03.08 के निर्देशानुसार घाटा/बकौली क्वैरी पर पत्थर, ग्रिट आदि की उपलब्धता होने तक हरिद्वार क्वैरी की दरें लागू रहेंगी।

Schedule Item No.	Materials	P.W.D. Specification No.	Unit	Rate		
				BSR	HPR	GBN/GZB
1	(a) Bricks M-150	1.1.1 (ISI-1077-1986)	Per % Nos.	5200.00	5200.00	5400.00
	(b) Bricks M-100			3700.00	3700.00	3900.00
	(c) Bricks-Straight over brunt			4700.00	4700.00	4900.00
	(d) Brick-Tiles (1st Class)			5400.00	5400.00	5500.00
	(e) Brick Bats M - 75			600.00	600.00	600.00
	(f) Brick Bats (O.B.)			800.00	800.00	800.00
New Item	Fly ash Bricks (Specification/Strength should not be less than bricks - M-150)	—	Per % Nos.	5000.00		
	Ballast (M-150 or over burnt Brick Ballast)					
2	(a) 5.00 cm. gauge	1.2	" "	950.00	950.00	950.00
	(b) 4.00 cm. gauge			1000.00	1000.00	1000.00
	(c) 2.50 cm. gauge			1000.00	1000.00	1000.00

Schedule Item No.	Materials	P.W.D. Specification No.	Unit	Rate
3	Ballast (Hard Stone) rates are at jwalapur/Haridwar quarry. Size shall be as per U.P.,P.W.D., I.R.C. code rates are same for both. These rates are Inclusive of all Taxes, Surcharge, Royalty, including Loading & unloading [REDACTED] etc. at Quarry.(Haridwar Quarry 132 Km. from 64 of NH-58)	1.1.1(ISI-1077-1986)	-----	-----
	Stone Grading Materials			
i	(53 to 26.5mm) Crushed	'''	Per Cum.	720.00
ii	(26.5 to 4.7mm) Crushed	'''	'''	940.00
i	Stone Grading 45mm to 22.4mm Crushed	'''	'''	940.00
ii	Stone Grading 22.4mm to 2.36mm Crushed	'''	'''	940.00
iii	Stone Grading 2.36mm to 75 micron	'''	'''	940.00
i	Stone Grading 37mm to 25mm Crushed	'''	'''	940.00
ii	Stone Grading 25mm to 10mm Crushed	'''	'''	940.00
iii	Stone Grading 10mm to 5mm Crushed	'''	'''	940.00
iv	Stone Grading 5mm and below Crushed	'''	'''	940.00
v	Stone Grading 13.2mm to 10mm Crushed	'''	'''	940.00
vi	Stone Grading 20mm to 10mm Crushed	'''	'''	940.00
vii	Stone Boulder size 150mm and above(Not Less than 25kg/40kg)	'''	Per Cum.	350.00
ix	Crushed stone chipping size 11.2 to 2.36mm & 13.2 to 5.67mm	'''	'''	940.00
x	Crushed stone chipping size 13.2mm nominal	'''	'''	940.00
xi	Stone Ballast 90mm to 45mm crushed	'''	'''	610.00
xii	Stone Ballast 63mm to 45mm crushed	'''	'''	660.00
xiii	Stone Ballast 53mm to 22.4mm crushed	'''	'''	720.00
xiv	Aggregate 22.4mm to 2.36mm	'''	'''	940.00
xviii	20mm to 40mm gauge crushed stone	'''	'''	610.00
xix	Fine Aggregate/crushed sand 2.36mm to 75micron	'''	'''	940.00
xx	Quarried Stone 150 to 200mm size for R.R. Masonary	'''	'''	350.00
xxiii	Stone Screening material for WBM Grading-II	'''	'''	610.00

Schedule Item No.	Materials	P.W.D. Specification No.	Unit	Rate
9 (a)	Miscellaneous Items			
9 (b)	Cement Port land (ordinary)	1.8 (IS 269 -1976)	Per Bag of 50 Kgs.	300.00
10	Cement Grey P.P.C	(IS 8042-1978)	""	290.00
11	Cement white viz. J. K./Birla			1000.00
11	White Putty viz. J. K./Birla		Per Bag of 20 Kg.	550.00
12	Plaster of paris Sakami or Equibalent		Per Bag of 20 Kg.	165.00
13	Cinder	1.14	Per Cum.	250.00
15(a)	Distemper (Oil in paste of best quality (Approved manufacturer and approved quality) viz. Burger, Asian, J&N	IS 428-1965 and as per manufacturers directions	Per 5 Kg.	350.00
15(b)	Dry Distemper ordinary of best quality (Approved manufacturer and approved quality viz. Burger, Asian, J&N	15427-1965 and as per manufacturers directions	Per Kg.	40.00
16	Glass Ordinary cut to size			
(a)	3 mm thick (Wt. 7.5 kg/sqmt.)	19.11	Per Sqm.	300.00
(b)	4 mm thick (Wt. 10.0 kg/sqmt.)	19.11	""	380.00
(c)	5.5 mm thick (Wt. 13.5 kg/sqmt.)	19.11	""	480.00
(d)	For pin head glass		10% less rate than a	
18	White lime (unsalcked) for White Washing	1.2.1 (IS 712- 1964) (IS 712- 1984)	Per Qtl.	750.00
19	White Lead (Best Quality PIG lead)		Per Kg.	200.00
20 (a)	M.S. Flats	10.2.2 IS	Per Qtl.	4000.00
(b)	M.S. Angles	226, KST 45-5	""	4000.00
(c)	M.S.Tee	IS 1977 KST 32-0	""	4000.00
(d)	G.I. Barbed wire	10.7 IS 278	""	5250.00
(e)	Iron Sheet Galvanized Plain 22 gauge	10.2.2 IS 1987	""	5250.00
(f)	Iron Sheet Galvanized Plain 24 gauge		Per Qtl.	5250.00
(g)	-do- but corrugated 24 gauge		""	5300.00
(h)	-do- but black plain 18 gauge	(IS 432) (Part 1. 19	""	4250.00
(i)	Ribbed tor steel/ HYSD/TMT(such as TATA/SAILs)		""	4000.00
(j)	Expanded metal 2-0 cm mesh 16/17 guage		""	4250.00
(k)	M.S. binding wire 24 gauge		Per Kg.	55.00
(l)	Welded mesh			
New Item (i)	1"x2" size of 10 gauge wire		Per Sqm	150.00
New Item (ii)	1"x3" size of 10 gauge wire		""	140.00
New Item (iii)	Murga Jali 1/2"x24 gauge		""	40.00
(iv)	2"x2" size of 10 gauge wire		""	140.00
	Section for windows (I.S.I Make)			
(i)	F7- d sections @ 1.58kg/Rm.	10.2.2 IS 226	Per Kg.	54.00
(ii)	F4 - B/T2/T6 Secs. @ 2.40kg/RM.	KST 42-s	""	54.00

Schedule Item No.	Materials	P.W.D. Specification No.	Unit	Rate
	(iii) F27 - Sections @ 0.74kg/RM.	IS 2062 KST 42-W	'''	54.00
	(iv) Fx5,Fx6,Fx8 and other windows Sections	IS 1977 KST 32 - 0	'''	54.00
21	Marble chips 3 mm and above size		Per Kg.	
	(a) Super white		'''	6.00
	(b) Commercial white, coloured & black		'''	6.00
22	Marble Dust (200 mesh)		'''	5.00
24	Nails (Country)		Per Kg.	70.00
25	Nails (wire)		'''	75.00
26	(a) Oil (linseed double boiled) Aeroplan Paint (Superior quality in 20 ltrs. Drum)	IS 77-1950	Per Ltr.	170.00
	(b) Oil (Terpentine)		'''	90.00
27	Paint (Superior Quality in 20 ltrs. Drum.			
	(a) Paint anti/corosive Bitumenous	15.8	'''	160.00
	(b) Black Japan		'''	120.00
	(c) Superior Ready Mixed paints (Grade II) in 20 ltrs. drums of approved manufacturers and approved make		'''	200.00
	(d) Ordinary quality ready mixed paint (Grade II) in 20 Ltrs. Drums of (Approved manufacturers and apporoved make)		Per Ltr.	
	(i) Dark Green Oxide		'''	100.00
	(ii) Deep Black Oxide		'''	120.00
	(iii) Blue Oxide		'''	100.00
	(iv) Chocolate Oxide		'''	100.00
	(e) (i) Red Oxide primer surface for steel (in 20 ltrs. Drum) (Approved manufacturers and approved make)		'''	120.00
	(ii) Red lead paint ready mixed for roof (in 20 ltrs. Drum) (Approved manufacturers and approved make).		'''	240.00
	(f) (i) Paint enamel (Grade I) super Class (Approved manufacturers and approved make)		'''	260.00
	(ii) Paint (Aluminium)		'''	300.00
	(g) (i) Paint primer for wood		'''	180.00
	(ii) Paint primer for metal		'''	170.00
	(h) (i) Cement Primer of Berger of ISI marka		'''	150.00
	(ii) Water proof cement paint (in 50 kg drums)	IS - 5410 - 1969	Per Kg.	60.00
	(i) Varnishes (in 20 ltr. drums)		Per Ltr.	210.00
	(i) Clear synthetic (in 20 ltr. drums)		'''	160.00
	(ii) Copall		'''	250.00
	(iii) Weather coat cement paint for exterior	Apex or equalant Ultima or	'''	350.00

Schedule Item No.	Materials	P.W.D. Specification No.	Unit	Rate
28	Water proofing compound (Dr.Fixit)		Per Ltr.	150.00
29	Polish (mansion & wax)	15.92 & IS 348-1968	Per Kg.	370.00
30	A.C. Pipe (rain water) (Everest or Charminar or equivalent)			
	(i) 8 cm Internal dia of	1.8 m length	Each length	150.00
	(ii) 10 cm Internal dia of	""	""	190.00
	(iii) 15 cm Internal dia of	""	""	220.00
31 (a)	A.C. Pipe bend and shoe plain (Everest or Charminar or equivalent)		Each	
	(i) 8 cm. dia plain		""	
	(ii) 10 cm dia plain		""	
	(iii) 15 cm. dia plain		""	
(b)	A.C. Pipe bend with access door (Everest or Charminar or equivalent)		Each	
	(i) 8 cm. dia		""	
	(ii) 10 cm dia		""	
	(iii) 15 cm. dia		""	
32	Sheets asbestos grey 6 mm thick (Everest or Charminar or equivalent)		Per Sqm.	210.00
	(a) Corrugated		""	200.00
	(b) Plain		Per pair	250.00
	(c) A.C. Ridges		Each	350.00
	(d) A.C. Gutters (1.83 m long)			
33	C.I. Pipe of (1.80 m length)		Per Each	1040.00
	(i) Internal dia 5 cm (Wt. 11.41 kg.)		""	1450.00
	(ii) Internal dia 7.5 cm. (Wt. 16.52 kg.)		""	1700.00
	(iii) Internal dia 10 cm. (Wt. 21.67kg.)		""	
34 (a)	C.I. Pipe door bend		Per Each	350.00
	(i) 5.0 cm dia (Wt. 2.30 kg.)		""	415.00
	(ii) 8.0 cm dia (Wt. 3.30 kg.)		""	490.00
	(iii) 10.0 cm. dia (Wt. 4.60 kg.)		""	
(b)	C.I. Pipe Plain bend		Per Each	300.00
	(i) 5.0 cm dia (Wt. 2.10 kg.)		""	370.00
	(ii) 8.0 cm. dia (Wt. 3.20 kg.)		""	425.00
	(iii) 10.0 cm. dia (Wt. 4.40 kg.)		""	75.00
(c)	C.I. Spout 23.0 cm. Long 40 mm dia		Per Kg.	45.00
35 (a)	Rope (Moonj)		""	65.00
(b)	Rope (HEMP)		""	70.00
(c)	Rope (Cotton)		""	50.00
(d)	Spun yarn		""	80.00
36	Rivets	10.2.2 IS-1148	""	

Schedule Item No.	Materials	P.W.D. Specification No.	Unit	Rate
38	Coarse sand of approved quarry (Finess modules 2.20) at site of work	1.9	Per Cum.	For analyse full item rate for whole Distt.Rs. 2000.00
39	Fine sand (blended to fineness modulus 1.25 F.M)	1.9	Per Cum.	1000.00
(a)	Local sand (Bhoor sand)	1.9	'''	300.00
40	Surkhi	1.13	'''	450.00
41	Whiting	1.12.1 (IS-712 -1964)	Per Qtl.	600.00
42	(a) Washers (Lumpet)		Per 100 No.	50.00
	(b) Washers (Bitumen)		'''	50.00
	(c) Washers G.I.		'''	60.00
New item	(d) J. Hooks		Per kg.	75.00
44	Wood preservator in 5 ltrs. drum	(IS 218-1961)	Per Ltr.	300.00
45	Wood chaukat section			
	(a) CP Teak wood	1.5	Per Cum.	75000.00
	(b) Sheesham	1.5	'''	55000.00
	(c) Indian Sal	1.5	'''	45000.00
46	Wood Planks			
	(a) CP Teak wood	1.5	Per Cum.	76000.00
	(b) Sheesham	1.5	'''	56000.00
	(c) Indian Sal	1.5	'''	46000.00
	(d) Keil or Cheer	1.5	'''	18000.00
	(e) Country	1.5	'''	10000.00
	(f) Deodar	1.5	'''	40000.00
47	Fuel Wood (Dry)		Per Qtl.	600.00
48	Glass Strips 4.0 mm thick plain			
	(a) 2.2 cm. deep		Per R.M.	9.00
	(b) 3.50 cm. deep		'''	10.00
	(c) Same as 48 (a) but 5 mm thick		'''	10.00
	(d) Same as 48 (b) but 5 mm thick		'''	10.00
49	Aldrin concentrate to 0.30 (NOCIL		Per Ltr.	450.00
50	Lead for jointing		Per Kg.	230.00
51	RCC Jali of approved quality			
	(i) 40 mm thick		Per Sqm.	270.00
	(ii) 50 mm thick		'''	320.00
52	TILES (White glazed or equivalent)			
	(a) 108mm X 108mm white 1st class		Per packet of 150 Nos.	---
	(b) -do- but commercial quality		'''	---

Schedule Item No.	Materials	P.W.D. Specification No.	Unit	Rate
	(c) 152mm,X 152mm white 1st class		Per packet of 75 Nos.	---
	(d) do- but commercial quality		""	---
	(e) 200mm'X 100mm tiles in Mat finish of Kajaria make white 1st Class		""	---
	(f) -do- but 2'x2' Quality KOTA STONE (machine cut)	20-25mm thick	Per Sqm.	480.00
53	(a) Marble White 60x60 cm.	25 mm thick	Per Sqm.	600.00
	(b) Marble White 60x60 cm.	20 mm thick	""	500.00
54.	(i) 2'X2' (22 mm thick)		""	--
New Item	(a) Granite stone black or Grey Polished	20 mm thick	""	2500.00
	(b) Granite stone black or Grey Polished	10mm thick	""	1500.00
55	Bitumin			
	(i) SS	as per I.R.C.	Per M.T	As per I.O.C rate.or as per C.R.C.
	(ii) MS			
	(iii) S-65(60/70)			
	(iv) S-90(60/70)			
	(v) CRMB-55			
56	Polythin Sheet (125 micron)		Per Sqm.	15.00
New Item	P.V.C. Pipe (6Kg./Cm ² .pressure) Kissan / Supreme Quality			
	(i) 75 mm Dia		R.M.	120.00
	(ii) 90mm Dia		R.M.	200.00
	(iii) 110 mm Dia		R.M.	260.00
New Item	Ceremic Tiles Kajaria/J.& J as per ISI (White,Cloudy or Ordinary colours			
	(a) (a) For Floor Size 300mmx3000mm	Per Sqm.	Per Sqm.	510.00
	(b) (b) For Wall Size 200mmx300mm			
	Vitrified Tiles (Kajaria, Bell, J & J or Somanji any color) 600 X 600 mm			
New Item	Water		Per K.L.	50.00
New Item	M.S. Tube 12 SWG		Per Qtl	4000.00
New Item	Apoxy paint (Superior Quality)		Per ltr.	300.00
	Apoxy primar (Superior Quality)		""	240.00
	Indigo (Superior Quality Rainbow)		Per Kg.	200.00
	Fevicol (Elephant Brand)		""	80.00

Schedule Item No.	Materials	P.W.D. Specification No.	Unit	Rate
New Item	RCC Hume pipe NP-3(S&S Type) ISI Mark			
(i)	350mm dia		Rm.	984.00
(ii)	400mm dia		'''	1115.00
(iii)	450mm dia		'''	1234.00
(iv)	500mm dia		'''	1370.00
(v)	600mm dia		'''	1930.00
(vi)	700mm dia		'''	2250.00
(vii)	800mm dia		'''	2640.00
(viii)	900mm dia		'''	3856.00
(ix)	1000mm dia		'''	4680.00
(x)	1100mm dia	1. दरों पर 5 प्रतिशत वैट अलग से देय होगा। 2. भाड़ा तथा लोडिंग व अनलोडिंग 15 प्रतिशत 100 कि.मी. दूरी तक एवं 18 प्रतिशत 100 कि.मी. से अधिक की दूरी हेतु अलग से देय होगा।	'''	5475.00
(xi)	1200mm dia		'''	6400.00
(xii)	1400mm dia		'''	8530.00
(xiii)	1600mm dia		'''	9875.00
(xiv)	1800mm dia		'''	12345.00

अवार अभियन्ता (प्रा०)
बुलन्दशहर वृत, लो०नि०वि०,
बुलन्दशहर

अधीक्षण अभियन्ता,
बुलन्दशहर वृत, लो०नि०वि०,
बुलन्दशहर

[8]

CHAPTER - 2

LABOUR

Sl. No	Schedule Item No.	Description of the work	Unit	New Rate	
				BSR/Hapur	GBN/GZB
1.	2		4	5	6
2.01	194	Mistri (for Estimate purpose only)	Per day	370.00	370.00
2.02	195	Mason :			
		(a) Ordinary	Per day	340.00	340.00
		(b) For floor and tile work	""	350.00	350.00
2.03	196	Carpenter	""	340.00	340.00
2.04	197	Black Smith	""	305.00	305.00
2.05	198	Hammer man	""	305.00	305.00
2.06	199	Fitter	""	305.00	305.00
2.07	201	Painter	""	305.00	305.00
2.08	202 (A)	Plumber Licensed with Kit	""	340.00	340.00
	202 (B)	Electrician Licensed with Kit	""	400.00	400.00
2.09	204	Mate	""	425.00	425.00
2.10	205	Beldar	""	305.00	305.00
2.11	206	Mazdoor(Unskilled)/Coolie (for analysis purpose only)	""	275.00	275.00
2.12	207	Bhishti with Mushk	""	275.00	275.00
2.13	212	White washer	""	275.00	275.00
2.14	213	Belder for bitumen or tar work	""	305.00	305.00
2.15	214	Glazier	""	305.00	305.00
		ADDITIONAL ITEM :		305.00	305.00
2.16	1	Bhainsa Buggi with driver	Per day	650.00	650.00
2.17	2	Tractor trolley with driver excluding P.O.L.	""	820.00	820.00
2.18	4	Amin/Tracer/Surveyer	""	340.00	340.00
2.19	5	Chaukidar	""	275.00	275.00
2.2	6	Jeep/Truck/Tractor/Roller Driver	""	340.00	340.00
2.21	7	Generator Operator	""	305.00	305.00
2.22	8	Mixol Operator	""	305.00	305.00
2.23	9	Pump Operator	""	305.00	305.00
2.24	10	Cleaner	""	275.00	275.00

Sl. No	Schedule Item No.	Description of the work	Unit	Rate	
				BSR/Hapur	GBN/GZB
1	2		4	5	6
2.25	11	Sweeper (Full Time)	Per Day	300.00	300.00
		Sweeper (Part Time)	Part Time	200.00	200.00
2.26	12	Tractor Harrow or Trolley with driver and including P.O.L	Per Day	2000.00	2000.00
2.27	13	J.C B. Machine with Driver and P.O.L	Per Hour	900.00	900.00
2.28	14	Crane (20 to 50 Tonne) with Driver And P.O.L	Per Hour	1000.00	1000.00
2.29	15	Riksha Thela with Driver	Per Day	400.00	400.00
2.30	16	Hire charges of Taxi (jeep/Car) not more than three years old Model including Driver, Maintenance etc. all, but excluding Fuel (Diesel/Patrol)	Per Day	700.00	700.00

अदर आमेपत्ता (अ०)

बुलन्दशहर वृत्त. सौराष्ट्रियों

बुलन्दशहर

अदीक्षण आमेपत्ता,

बुलन्दशहर वृत्त, लो०ग्नि०वि०,

बुलन्दशहर

[10]

CHAPTER - 3
CARTAGE

Revised vide S.E. Lucknow letter No. 5392/2M-L circle/14-15 dated 14-07-2014

Sl. No.	Schedul e Item No.	Description of the Work	P.W.D. Sepecification No.	Unit	Rate in Rs.
1	2	3	4	5	6
3.01	231 (a)	Cartage of ballast, Kankar Coal, grit or sand including loading & unloading but excluding stackings on pakka roads :	3.1.1	Per Cum. Per Km.	Per Cum.
		1st km.		85.50	85.50
		2nd km.		21.50	107.00
		3rd km.		19.30	126.30
		4th km.		17.45	143.75
		5th km.		15.90	159.65
		6th km.		14.80	174.45
		7th km.		13.80	188.25
		8th km.		13.00	201.25
		9th km.		12.40	213.65
		10th km.		11.85	225.50
		11th km.		11.50	237.00
		12th km.		11.10	248.10
		13th km.		10.70	258.80
		14th km.		10.50	269.30
		15th km.		10.20	279.50
		16th km.		9.90	289.40
		17th km.		9.75	299.15
		18th km.		9.55	308.70
		19th km.		9.45	318.15
		20th km.		9.20	327.35
		21st km.		9.10	336.45
		22nd km.		9.00	345.45
		23rd km.		8.90	354.35
		24th km.		8.90	363.25
		25th km.		8.80	372.05

Sl. No.	Schedul e Item No.	Description of the Work	P.W.D. Sepecification No.	Unit	Rate in Rs.
1	2	3	4	5	6
		26th km.		8.70	380.75
		27th km.		8.70	389.45
		28th km.		8.55	398.00
		29th km.		8.55	406.55
		30th km.		8.45	415.00
		31st km. to 35th Km.		8.20	456.00
		36th km.to 40th km.		7.80	495.00
		41st km.to 50th km.		7.45	569.50
		51st km.to 75th km.		6.80	739.50
		76th km.to 100 km.		5.40	874.50
		101st km.to 200 km.		4.80	1354.50
		201st km.to 250 km.		4.60	1584.50
		251st km.to Onward.		4.60	--
Notes:-					
		1. उपरोक्त दरों में ठेकेदार का 10% लाभांश सम्मिलित है तथा प्रथम कि0मी10 में लोडिंग व अनलोडिंग भी सम्मिलित है।			
		2. Lead में जाना व आना (To & Fro) सम्मिलि�त है।			
	231 (b)	For Kachcha Road (As per footnote)	3.1.2		
	231 (c)	For Brick 1000 Nos. reduce by 15 % of the above rates and multiply by 2.30 times (above rates X 2.30 - 15%)	3.1.3		
	3.02 232 (a)	As in item (231) above but for cement, steel or other materials	3.2	Per M.T. Per K.M.	48.85
		1st Km.		""	11.65
		2nd and 3rd Km.		""	9.50
		4th and 5th Km.		""	7.50
		6th to 10th Km.		""	5.80
		11th to 20th Km.		""	5.00
		21st to 30th Km.		""	4.45
		31st to 50th Km.		""	3.90
		51st to 75th Km.		""	3.10
		76st to 100 Km.		""	2.75
		101st to 200 Km.		""	2.60
		201st to 250th Km.		""	2.60
		251st to on ward		""	
	(b)	For Kachcha road (as per footnote)			

Rs.	Sl. No.	Schedule Item No.	Description of the Work	P.W.D. Specification No.	Unit	Rate in Rs.
	1	2	3	4	5	6
0	Non Sl. (ii)		As per Sl (1) but for cement (Loading) (Unloading)		'''	
0	3.07	237 (a)	Stacking of bricks on edge in row of two to a height of ten brick and in a length of 100 bricks after dressing levelling of the site as required where bricks are to be stacked.	3.7	per v/o Nos.	27.00
5		(b)	Stacking of coal, surkhi, sand, lime, stone grit, stone/brick ballast & boulders etc. to the required sizes to stacks after necessary dressing of site where such materials are to be stacked.	3.7	Per Cum.	29.50
15		(c)	As in item 237 (a) above but when the materials are either cement, steel.	3.7	Per MT	41.00
30	3.08	238 (a)	Loading of cement, tar or bitumen drums, lighter sections of steel and other such materials into wagons.	3.8	'''	20.00
35		(b)	As in item 238 (a) above but for heavy articles like joist, machinery and unwieldy structures.	3.8	'''	60.00

FOOT NOTES :

- 1 For Kachcha roads - After deduction, loading and unloading charges, add 33 1/3% on the above rates for Item No. 231(a), 232(a) and 233(a).
- 2 Extra for cartage from Railway stock yard for city limit S.I.No. 231(a), 232(a) and 233(a).
 - (i) If the distance from Railway stock yard to store/site is upto 8 km. Then 20% extra shall be paid on cartage fixed on above respective S.I. item in area covered by Nagar Nigam and 10% in other than cities.
 - (ii) In case distance more than 8 kms. 5% extra on respective schedule items shall be for distance from 9th Km. upto Municipal limit of city town in addition to item (1) above.
- 3 In case of local cartage within the Municipal Limit or in no entry area, 5% extra shall be paid on respective schedule in areas covered by Nagar Nigam.

Sd

(P.K.KATIYAR)

SUPERINTENDING ENGINEER

LUCKNOW CIRCLE, P.W.D., LUCKNOW